

## 小鼠抗 KDM5C 单克隆抗体

中文名称： 小鼠抗 KDM5C 单克隆抗体

英文名称： Anti-KDM5C mouse monoclonal antibody

别名： lysine demethylase 5C; MRXJ; SMCX; MRX13; MRXSJ; XE169; MRXSJC; JARID1C; DXS1272E

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Mouse

抗原： KDM5C

反应种属： Human

标记物： Unconjugate

克隆类型： Mouse Monoclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | This gene is a member of the SMCY homolog family and encodes a protein with one ARID domain, one JmjC domain, one JmjN domain and two PHD-type zinc fingers. The DNA-binding motifs suggest this protein is involved in the regulation of transcription and chromatin remodeling. Mutations in this gene have been associated with X-linked mental retardation. Alternative splicing results in multiple transcript variants. |
| <b>Applications:</b>     | WB, IF  |
| <b>Name of antibody:</b> | KDM5C   |
| <b>Immunogen:</b>        | Fusion protein of human KDM5C   |
| <b>Full name:</b>        | lysine demethylase 5C   |

|                                 |  |
|---------------------------------|--|
| <b>Synonyms:</b>                | MRXJ; SMCX; MRX13; MRXSJ; XE169; MRXSJ; JARID1C; DX S1272E |
| <b>SwissProt:</b>               | P41229   |
| <b>WB Predicted band size:</b>  | 176 kDa  |
| <b>WB Positive control:</b>     | Hela and 293 cell lysates                                  |
| <b>WB Recommended dilution:</b> | 1000-5000  |
| <b>IF positive control:</b>     | Hela cells   |
| <b>IF Recommend dilution:</b>   | 50-150   |



