

## H4C1 抗原（重组蛋白）

中文名称： H4C1 抗原（重组蛋白）

英文名称： H4C1 Antigen (Recombinant Protein)

别名： H4FA; HIST1H4A

储存： 冷冻（-20℃）

相关类别： 抗原

概述：

Fusion protein corresponding to a region derived from 1-103 amino acids of human H4C1

技术规格：

<b>Full name:</b>	H4 clustered histone 1
<b>Synonyms:</b>	H4FA; HIST1H4A
<b>Swissprot:</b>	P62805
<b>Gene Accession:</b>	NP_003529
<b>Purity:</b>	>85%, as determined by Coomassie blue stained SDS-PAGE
<b>Expression system:</b>	Escherichia coli
<b>Tags:</b>	His tag C-Terminus, GST tag N-Terminus
<b>Background:</b>	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H4

family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6. [provided by RefSeq, Aug 2015]