

兔抗 EHHADH 多克隆抗体

中文名称：兔抗 EHHADH 多克隆抗体

英文名称：Anti-EHHADH rabbit polyclonal antibody

别名：LBP; ECHD; LBFP; PBFE; L-PBE

相关类别：一抗

抗原：EHHADH

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a bifunctional enzyme and is one of the four enzymes of the peroxisomal beta-oxidation pathway. The N-terminal region of the encoded protein contains enoyl-CoA hydratase activity while the C-terminal region contains 3-hydroxyacyl-CoA dehydrogenase activity. Defects in this gene are a cause of peroxisomal disorders such as Zellweger syndrome. Two transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	EHHADH
Immunogen:	Fusion protein of human EHHADH
Full name:	enoyl-CoA, hydratase/3-hydroxyacyl CoA dehydrogenase

Synonyms :	LBP; ECHD; LBFP; PBF; L-PBE
SwissProt:	Q08426
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and Human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	79 kDa
WB Positive control:	Mouse liver tissue
WB Recommended dilution:	200-1000



