

## 兔抗 ELOC 多克隆抗体

中文名称：兔抗 ELOC 多克隆抗体

英文名称： Anti-ELOC rabbit polyclonal antibody

别名： elongin C; SIII; TCEB1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： ELOC

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

This gene encodes the protein elongin C, which is a subunit of the transcription factor B (SIII) complex. The SII I complex is composed of elongins A/A2, B and C. It activates elongation by RNA polymerase II by suppressing transient pausing of the polymerase at many sites within transcription units. Elongin A functions as the transcriptionally active component of the SIII complex, whereas elongins B and C are regulatory subunits. Elongin A2 is specifically expressed in the testis, and capable of forming a stable complex with elongins B and C. The von Hippel-Lindau tumor suppressor protein binds to elongins B and C, and thereby inhibits transcription elongation. Multiple alternatively spliced transcript variants encoding

	g two distinct isoforms have been identified.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	ELOC
<b>Immunogen:</b>	Fusion protein of human ELOC
<b>Full name:</b>	elongin C
<b>Synonyms:</b>	SIII; TCEB1
<b>SwissProt:</b>	Q15369
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human breast cancerHuman ovarian cancer
<b>IHC Recommend dilution:</b>	50-300



