

兔抗 UNC13B 多克隆抗体

中文名称: 兔抗 UNC13B 多克隆抗体

英文名称: Anti-UNC13B rabbit polyclonal antibody

别名: UNC13; MUNC13; Unc13h2

相关类别: 一抗

抗原: UNC13B

储存: 冷冻 (-20℃)

宿主: Rabbit

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene is expressed in the kidney cortical epithelial cells and is upregulated by hyperglycemia. The encoded protein shares a high level of similarity to the rat homolog, and contains 3 C2 domains and a diacylglycerol-binding C1 domain. Hyperglycemia increases the levels of diacylglycerol, which has been shown to induce apoptosis in cells transfected with this gene and thus contribute to the renal cell complications of hyperglycemia. Studies in other species also indicate a role for this protein in the priming step of synaptic vesicle exocytosis.
Applications:	ELISA, IHC
Name of antibody:	UNC13B
Immunogen:	Fusion protein of human UNC13B
Full name:	unc-13 homolog B
Synonyms:	UNC13; MUNC13; Unc13h2; munc13-2

SwissProt:	O14795
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human lung cancer
IHC Recommend dilution:	50-300



